

References

- American Public Health Association. 1984. Laboratory Procedures for the Examination of Seawater and Shellfish. American Public Health Association, Washington, DC.
- Abraham, B.J. 1985. Specie profiles: life histories and environmental requirements of coastal fishes and invertebrates (Mid-Atlantic) –mummichog and striped killifish. U.S. Fish and Wildl. Ser. Biol. Rept 82 (11.40). U.S. Army Corps of Engineers, TR EL-82-4, 23 pp.
- Allen, H.E., F. Gongmin, and B. Deng. 1993. Analysis of acid volatile sulfides (AVS) and simultaneously extractable metals (SEM) for estimation of potential toxicity in aquatic systems. Environ. Toxicol. Chem. 12:1441-1453.
- American Public Health Association. 1992. Standard Methods for the Examination of Water and Wastewater, 18th Edition. American Public Health Association, Washington, DC.
- Anderson, M.E. 1985. Determination of glutathione and glutathione disulfide in biological samples. Meth. Enzymology. 113: 548-555.
- Arnold and Gibbons. 1996. Impervious surface coverage: the emergence of a key environmental indicator. Journal of the American Planning Association 62:243-258.
- ASTM. 1993. ASTM standards on Aquatic Toxicology and Hazard Evaluation. Sponsored by ASTM Committee E-47 on Biological Effects and environmental Fate. ASTM Publication Code Number (PCN): 03-547093-16. 538p.
- Baughman, D.S., D.W. Moore, G.I. Scott. 1989. A comparison and evaluation of field and laboratory toxicity tests with fenvalerate on an estuarine crustacean. Environmental Toxicology and Chemistry. 8(5):417-429.
- Beeftink, W.G., J. Nieuwenhuize, M. Stoeppler, and C. Mohl. 1982. Heavy-metal accumulation in salt marshes from the Western and Eastern Scheldt. The Science of the Total Environment 25:199-223.
- Bigelow, H.B., and W.C. Schroeder. 1953. Fishes of the Gulf of Maine. U.S. Fish and Wildl. Ser. Bull., 53: 1-577.
- Biorad Labs. 1994. Instructions for use of Gene Path 2 reagent kits. BioRad Labs (Cited in Simons Jr., G. M. 1995 Potential sources for non point introduction of E. coli to tidal inlets. Final Report to Va Office of Coastal Resource Management: 18pp.
- Blankenship, K. 1996. Masked bandit uncovered in water quality theft. Bay Journal 6(6): 1-7.

- Bloom, S.A. 1994. The community analysis system 4.2. Ecological Data Consultants, Inc., Archer, Florida.
- Bobo, M.Y., D.L. Richardson, L.D. Coen, V.G. Burrell, 1997. A report on the protozoan pathogens *Perkinsus marinus* (Dermo) and *Haplosporidium nelsoni* (MSX) in South Carolina shellfish populations, with an overview of these shellfish pathogens. SCDNR-MRD-MRRI Technical Report, Charleston, SC.
- Brown, R.G. 1988. Effects of precipitation and land use on storm runoff. *Water Resources Bulletin*. 24(2):421-426.
- Calleja, M.C., G. Persoone, P. Geladi. 1994. Comparative acute toxicity of the first 50 muticentre evaluation of in vitro cytotoxicity chemicals to aquatic non-vertebrates. *Arch. Environ. Contam. and Toxicol.* 26: 69-78
- Carriker, M.R. 1967. Ecology of estuarine benthic invertebrates: a perspective. Pp. 442-487. In: *Estuaries*, G.H. Lauff (ed.). American Association for the Advancement of Science, Washington, DC.
- Clean Water Task Force. 1997. A blueprint for Clean Water. Strategies to protect and restore Beaufort County's Waterways. Final Report of the Clean Water Task Force., Beaufort County, SC. 70p.
- Coastlines. 1998. Pinning down sources of coliform bacteria. *Coastlines*, Univ. Of Mass. 8,2: 4-5.
- Coen, L.D. and M.W. Luckenbach, 1999. Developing success criteria and goals for evaluating oyster reef restoration: ecological function or resource exploitation? *Ecological Engineering* (in press).
- Coen, L.D., M.W. D.M. Knott, E.L. Wenner, N.H. Hadley, A.H. Ringwood. 1999a. Intertidal oyster reef studies in South Carolina: Design, sampling and experimental focus for evaluating habitat value and function. In: M.W. Luckenbach, R. Mann, J.A. Wesson (eds.) *Oyster Reef habitat Restoration: A Synopsis and Synthesis of Approaches*. Virginia Institute of Marine Science Press, Gloucester point, VA.
- Coen, L.D., M.W. Luckenbach, and D.L. Breitburg, 1999b. The role of oyster reefs as essential fish habitat: a review of current knowledge and some new perspectives. Pages 438-454 in L. R. Benaka, editor. *Fish habitat: Essential Fish Habitat and Rehabilitation*. American Fisheries Society, Symposium 22, Bethesda, Maryland.
- Crosby, M.P., and C.F. Roberts. 1990. Seasonal infection intensity cycle of the parasite *Perkinsus marinus* (and an absence of *Haplosporidium* spp.) in oysters from a South Carolina salt march. *Diseases of Aquatic Organisms* 9;149-155.

- Csallany, A.S. Guan, M.D. Manwaring, J.D. and Addis, P.B. 1984. Free malonaldehyde determination in tissues by high-performance liquid chromatography. *Analytical Biochemistry* 142: 277-283
- Dauer, D.M. 1993. Biological criteria, environmental health and estuarine macrobenthic community structure. *Marine Pollution Bulletin* 26:249-257
- Decaprio, A.P. 1997. Biomarkers: Coming of age for environmental health and risk assessment. *Environmental Science & Technology* 31: 1837-1848.
- Diaz, R.J. 1980. Ecology of tidal freshwater and estuarine Tubificidae (Oligochaeta). In: R.O. Brinkhurst and D.G. Cook (eds.) *Aquatic Oligochaete Biology*. Plenum Publishing Corporation 319-330 pp.
- Eganhouse, R.P. and I.R. Kaplan. 1981. Extractable organic matter in urban stormwater runoff: Transport dynamics and mass emission rates. *Env. Sci. Technol.* 15: 310 - 315.
- Eganhouse, R.P., B.R. T. Simonfit, and I.R. Kaplan. 1981. Extractable organic matter in urban stormwater runoff: molecular characterization. *Env. Sci. Technol.* 15: 315 - 322.
- E- Figi, Kheirea. 1991. Epidemiological and microbiological evaluation of enteric bacterial water borne diseases in coastal areas of South Carolina. Univ. Of South Carolina, School of Public Health, Dept. Of Epidemiology and Biostatistics, Ph.D. Dissertation: 154pp.
- Elliott, J.M. 1971. Some methods for statistical analysis of samples of benthic invertebrates. *Freshwater Biological Association Scientific Publication No. 25*, 143pp.
- Farm Chemical Handbook. 1992. 78th Edition. C. Sine, editorial director. Meister Publishing Co., Willoughby, OH
- Farrington, J.W. 1983. Bivalves as sentinels of coastal chemical pollution. *Oceanus* 26: 18-29.
- Finley, D.B., G.I. Scott, J.W. Daugomah, S.L. Layman, L.A. Reed, M. Sanders, S.K. Sivertsen, and E.D. Strozier. 1999. Case study: Ecotoxicological assessment of urban and agricultural nonpoint source runoff effects on the grass shrimp, *Palaemonetes pugio*. In: *Ecotoxicology and Risk Assessment for Wetlands*. M.A. Lewis, F.L. Mayer, R.L. Powell, M.K. Nelson, S.J. Klaine, M.G. Henry, and G.W. Dickson, eds. SETAC PRESS, USA, pp. 243-274.

- Finley, D.B., G.I. Scott, J.W. Daugomah, S.L. Layman, L. Reed, M. Sanders, S.K. Sivertsen, E.D. Strozier. 1999. An ecotoxicological assessment of urban and agricultural nonpoint source runoff effects on the grass shrimp, *Palaemonetes pugio*. In: *Ecological Risk Assessment for Wetlands*, M.A. Lewis, R.L. Powell, M.K. Nelson, M.C. Henry, S.J. Klaine, G.W. Dickson and F.L. Mayer eds. SETAC Press: In Press.
- Fletcher, C.A., J.M. Bubb, and J.N. Lester. 1994. Magnitude and distribution of contaminants in salt marsh sediments of the Essex coast, UK. II. Selected metals and metalloids. *Science of the Total Environment* 155:47-59.
- Fortner, A.R., M. Sanders, and S.W. Lemire. 1996. Polynuclear aromatic hydrocarbons and trace metal burdens in sediment and the oyster, *Crassostrea virginica* (Gmelin), from two high salinity estuaries in South Carolina. In: *Sustainable Development in the Southeast Coastal Zone*. F.J. Vernberg, W.B. Vernberg and T. Siewicki, eds. University of South Carolina Press, Columbia, SC, USA, pp. 445-477.
- Fulton, M.H., G.I. Scott, A. Fortner, T.F. Bidleman, and B. Ngabe. 1993. The effects of urbanization on small high-salinity estuaries of the southeastern United States. *Arch. Environ. Contam. Toxicol.* 25:476-484.
- Fulton, M.H., G. Scott, T. Bidleman, B. Ngabe. 1993. An examination of nonpoint source urban runoff in two small high salinity estuaries of the SE United States. *Archives of Env. Contamination and Toxicology*. 25:476-484.
- Fulton, M.H., G.T. Chandler, G.I. Scott. 1997. Urbanization effects on the fauna of a southeastern U.S.A. bar-built estuary. In: *Sustainable development in the southeastern coastal zone*, F.J. Vernberg and W.B. Vernberg eds. Belle Baruch Library in Marine Science, University of South Carolina Press. Vol. 20:477-504.
- Fulton, M.H., G.T. Chandler, and G.I. Scott. 1997. Urbanization effects on fauna of a southeastern U.S.A. bar-built estuary. In: F.J. Vernberg, W.B. Vernberg and T. Siewicki (eds) *Sustainable Development in the Southeastern Coastal Zone*. Univ. of South Carolina Press, Columbia, SC, Belle W. Baruch Library in Marine Science 20: 447-504.
- Gutteridge, J.M.C. and Halliwell, B. 1990. The measurement and mechanism of lipid peroxidation in biological systems. *TIBS* 15: 129-135.
- Hampton, T.W. 1987. The use of ecotoxicology and biomonitoring to assess the effects of nonpoint source runoff from agricultural fields. Master's Thesis. University of South Carolina, Columbia, SC 110pp.
- HEED report, 1998. Human Health and Economic Dimensions of Climate Fluctuations" funded by the National Oceanic and Atmospheric Administration's Office of

- Global Programs & funds from the National Aeronautics and Space Agency:
Grant ID: NA56GP 0623, Harvard University and University of New Hampshire,
86 pp
- Herbein, S., G. M. Simmons Jr. and S.L. Mayer. 1996. Use of (PFGE) to
investigatenonpoint fecal coliform sources to tidal inlets on the eastern shore of
the Chesapeake Bay. Amer. Soc. Of Microbiology Annual Meeting, New Orleans,
LA; Abstract.: 1pp.
- Hoffman, E.J., J.S. Latimer, G.L. Mills, and J.G. Quinn. 1982. Petroleum hydrocarbons
in urban runoff from a commercial land use area. J. Water Pollut. Control 54:
1517-1525.
- Hoffman, E.J., G.L. Mills, J.S. Lattimer and J.G. Quinn. 1983. Annual input of petroleum
hydrocarbons to the coastal environment via urban runoff. Can. J. Fish. Aquat.
Sci. 40: 41-53.
- Holland, A.F., A.T. Shaughnessy, and M.H. Hiegel. 1987. Long-term variation in
mesohaline Chesapeake Bay macrobenthos: spatial and temporal patterns.
Estuaries 10:227-245.
- Holland, A.F., G.H.M. Riekerk, S.B. Lerberg, L.E. Zimmerman, D.M. Sanger, T.D.
Mathews, G.I. Scott, M.H. Fulton, B.C. Thompson, J.W. Daugomah, J.C.
DeVane, K.M. Beck, and A.R. Diaz. 1996. The Tidal Creek Project, Interim
Report. Submitted to the Charleston Harbor Project. 230pp.
- Holland, A.F., G.H.M. Riekerk, S.B. Lerberg, L.E. Zimmerman, and D.M. Sanger. 1997.
Assessment of the Impact of Watershed Development on the Nursery Functions
of Tidal Creek Habitats. pp. 110-115 In: Management of Atlantic Coastal Marine
Fish Habitat: Proceedings of a Workshop for Habitat Managers, ASMFC Habitat
Management Series #2, April 1997. 223p.
- Howard, D.W., and C.S. Smith. 1983. Histological techniques for marine bivalve
mollusks. NOAA Technical Memorandum NMFS-F/NEC 25:97.
- Huggett, R.J. Kimerle, R.A. Mehrie, P.M. and Bergman, H.L. 1992. Biomarkers.
Biochemical, Physiological, and Histological Markers of Anthropogenic Stress.
Lewis Publ., Chelsea, MI 347 p.
- Hunter, J. and D.R. Arthur. 1978. Some aspects of the ecology of *Peloscolex benedeni*
Udekem (Oligochaeta: Tubificidae) in the Thames Estuary. Estuarine and Coastal
Marine Science 6:197-208.
- Hyland, J.L., T.J. Herrlinger, T.R. Snoots, A.H. Ringwood, R.F. Van Dolah, C.T.
Hackney, G.A. Nelson, J.S. Rosen, and S.A. Kokkinakis. 1996. Environmental
quality of estuaries of the Carolinian Province: 1994. Annual statistical summary

- for the 1994 EMAP-Estuaries Demonstration Project in the Carolinian Province. NOAA Technical Memorandum NOS ORCA 97. NOAA/NOS, Office of Ocean Resources Conservation and Assessment, Silver spring, MD. 102p.
- Hyland, J.L., L. Balthis, C.T. Hackney, G. McRae, A.H. Ringwood, T.R. Snoots, R.F. Van Dolah, and T.L. Wade. 1998. Environmental quality of estuaries of the Carolinian Province: 1995. Annual statistical summary for the 1995 EMAP Estuaries Demonstration Project in the Carolinian Province. NOAA Technical Memorandum NOS ORCA 123 NOAA/NOS, Office of Ocean Resources Conservation and Assessment, Silver Spring, M.D. 143p.
- Hyland, J.L. R.F. Van Dolah, and T.R. Snoots. In press. Predicting stress in benthic communities of southeastern U.S. estuaries in relation to chemical contamination of sediments. *Environmental Toxicology and Chemistry* 18(11): 2557-2564.
- Jolley, R. L. 1978. Impacts of water chlorination on estuarine ecosystems. In: *Water Chlorination, Env. Impact and Health Assessment*, Vol. 2. Ann Arbor Press, Ann Arbor, Mich.: 238-55.
- Kaspar, C. W., J. L. Burgess, I. T. Knight, and R. R. Colwell. 1990. Antibiotic resistance indexing of *Escherichia coli* to identify sources of fecal contamination in water. *Can. J. Microbiol.* 36: 891-94
- Kator, H. and M. Rhodes. 1994. Microbial and chemical indicators. In: *Environmental Indicators and Shellfish Safety*, C.M. Hackney and M.D. Pierson Eds, Chapman and Hall Publishers, New York, NY: 30-91.
- .Kehrer, J.P. 1993. Free radicals as mediators of tissue injury and disease. *Crit. Rev. Toxicol.* 23: 21-48.
- Kennedy, V. S., R. I. E. Newell, and A. F. Eble, editors. 1996. *The eastern oyster: Crassostrea virginica*. Maryland Sea Grant, College Park, MD, 734pp.
- Key, P.B. 1995. The lethal and sublethal effects of malathion, azinphosmethyl, and chlorpyrifos exposure on the grass shrimp, *Palaemonetes pugio*, with emphasis on larval life cycle pulse exposure. Ph.D. Dissertation. University of South Carolina, Columbia, SC. 115pp.
- Kibler, D.F., D.C. Froelich, and G. Aron. 1981. Analyzing urbanization impacts on Pennsylvania flood plains. *Water Resources Bulletin.* 17(2):270-274.
- Kilian, M. and P. Bullock. 1976. Rapid diagnosis of Enterobacteriaceae. I. Detection of bacterial glycosidases. *Acta. Path. Microbiol. Scand.* 84B:245-51.

- Krahn, M.M., C.A. Wigren, R.W. Pearce, L.K. Moore, R.G. Boger, W.D. McLeod, Jr., S.L. Chan, and D.W. Brown. 1988. New HPLC cleanup and revised extraction procedures for organic contaminants, National Oceanic and Atmospheric Administration Technical Memorandum NMFS F/NWC-153: 23-47.
- Kucklick, J.R., S. Sivertsen, M. Sanders and G. Scott. 1997. Factors influencing polycyclic aromatic hydrocarbon concentrations and patterns in South Carolina sediments. *J. Exper. Mar. Bio.* 213: 13-29.
- LaSalle, M.W., M.C. Landin, and J.G. Sims. 1991. Evaluation of the flora and fauna of a *Spartina alterniflora* marsh established on dredged material in Winyah Bay, South Carolina. *Wetlands* 11:191-208.
- Lerberg, S.B. 1997. Effects of Watershed Development on Macrobenthic Communities in the Tidal Creeks of the Charleston Harbor Estuary. Master's Thesis. University of South Carolina, Columbia, SC. 257p.
- Lerberg, S.B. and A.F. Holland. In review. Effects of Watershed Development on tidal Creek Macrobenthic Communities. *Estuaries*.
- Leonard, D. L. 1993. Turning the tide on water quality on declining shellfish resources. *World Aquaculture* 24: 56-64.
- Llanos, R.J. 1991. Tolerance of low dissolved oxygen and hydrogen sulfide by the polychaete *Streblospio benedicti* (Webster). *Journal of Experimental Marine Biology and Ecology* 153:165-178.
- Llanos, R.J. 1992. Effects of hypoxia on estuarine benthos: the lower Rappahannock River (Chesapeake Bay), a case study. *Estuarine, Coastal and Shelf Science* 35:491-515.
- Long, E.R. 1989. The use of the sediment quality triad in classification of sediment contamination. *In: Symposium/Workshop on Contaminated Marine Sediments—Assessment and Remediation*. Tampa, FL, May 31- Jun 3, 1988. Washington, DC: National research Council. pp. 78-93.
- Long, E.R., and R. Markel. 1992. An evaluation of the extent and magnitude of biological effects associated with chemical contaminants in San Francisco Bay, California. National Oceanic and Atmospheric Administration Technical Memorandum NOS ORCA 64. National Oceanic and Atmospheric Administration, Seattle, WA.
- Long, E.R., and P.M. Chapman. 1985. A sediment quality triad: Measures of sediment contamination, toxicity, and infaunal community composition in Puget Sound. *Mar. Poll. Bull.* 16(10): 405-415.

- Long, E.R., G.I. Scott, J. Kucklick, M.H. Fulton, B. Thompson, R.S. Carr, J. Biedenbach, K.J. Scott, G.B. Thursby, G.T. Chandler, J.W. Anderson and G.M. Sloane. 1998. Magnitude and extent of sediment toxicity on selected estuaries of South Carolina and Georgia. National Oceanic and Atmospheric Administration Technical Memorandum NOS ORCA 128. National Oceanic and Atmospheric Administration, Silver Spring, MD.
- Long, E.R., D.D. MacDonald, S.L. Smith, and F.L. Calder. 1995. Incidence of adverse biological effects within ranges of chemical concentrations in marine and estuarine sediments. *Environ. Management* 19: 81-97.
- Lotrich, V.A. 1975. Summer home range and movements of *Fundulus heteroclitus* in a tidal creek. *Ecology*, 56:191-198.
- Lowe, D.M. Moore, M.N. and Evans, B.M. 1992. Contaminant impact on interactions of molecular probes with lysosomes in living hepatocytes from dab *Limanda limanda*. *Marine Ecol. Prog. Series* 91: 135-140.
- Lowe, D.M., C. Soverchia, and M.N. Moore. 1995. Lysosomal membrane responses in the blood and digestive cells of mussels experimentally exposed to fluoranthene. *Aquat. Toxicol.* 33: 105-112.
- Lund, S.A. 1997. The effects of Chlorpyrifos and Malathion exposure on acetylcholinesterase activity in the embryos of the grass shrimp, *Palaemonetes pugio*. Master's Thesis. University of Charleston, Charleston, SC. 62pp.
- MacDonald, D.D. 1994. Approach to the assessment of sediment quality in Florida coastal waters, Volume I: Development and evaluation of sediment quality assessment guidelines. Report prepared for Florida Department of Environmental Protection, Office of Water Policy. Tallahassee, FL. 126 pp.
- MacDonald, D.D. 1993. Development of an approach to the assessment of sediment quality in Florida coastal waters. Report prepared for Florida Department of Environmental Regulation. 133 pp.
- Marcus, J.M. 1988. The impacts of selected land-use activities on the American oyster, *Crassostrea virginica*. University of South Carolina, School of Public Health, Department of Epidemiology and Biostatistics. Ph.D. Dissertation. 318 pp.
- Marcus, J.M. and G. I. Scott. 1989. The integration of sediment trace metal bioavailability and land-use practice as a method of environmental risk assessment. In: 13th Symposium on Aquatic Toxicology and Hazard Evaluation. W. G. Landis and W. H. Van der Schalie, eds. Amer. Soc. for Test. Materials, E-47, Atlanta, GA; ASTM STP 1096: 199-208.
- Meister, A., and M.E. Anderson. 1983. Glutathione. *Ann. Rev. Biochem.* 52: 711-760.

- Microbics Corporation. 1992. Microtox® Manual. Vol. 1. 1992 Edition. Carlsbad, CA.
- Middleditch, B.S., S.R. Missler, D.G. Ward, J.B. McVey, A. Brown, and A.L. Lawrence. 1979. Maturation of penaeid shrimp: dietary fatty acids. *Proceedings of the World Mariculture Society* 10:472-476.
- Moore, M.N. 1985. Cellular responses to pollutants. *Mar. Pollut. Bull.* 16: 134-139.
- Moore, M.N. 1994. Reactions of molluscan lysosomes as biomarkers of pollutant-induced cell injury. pp. 111-123 in: *Contaminants in the Environment: A Multidisciplinary Assessment of Risks to Man and Other Organisms*. Lewis Publishers.
- National Oceanic and Atmospheric Administration (NOAA). 1988. A Summary of Selected Data on Chemical Contaminants in Sediments Collected During 1984, 1985, 1986, and 1987. National Oceanic and Atmospheric Administration Technical Memorandum NOS OMA 44. Washington D.C.
- National Oceanic and Atmospheric Administration (NOAA). 1996. NOAA's Estuarine Eutrophication Survey, Volume 1: South Atlantic Region. Office of Ocean Resources Conservation and Assessment, Silver Spring, MD. 50 p.
- National Oceanic and Atmospheric Administration (NOAA). 1991. Fish Kills in Coastal Waters, 1980-1989. Strategic Environmental Assessment Division, ORCA/NOS/NOAA, Rockville, MD.
- Nemo. 1994. The importance of imperviousness. *Watershed Protection Techniques*. 1(3):100-111.
- O'Connor, T.P. 1996. Trends in chemical concentrations in mussels and oysters collected along the US coast from 1986 to 1993. *Marine Environmental Research*, Vol. 41(2):183-200.
- Pait, A.S., E. DeDouza, and D.R.G. Farrow. 1992. Agricultural pesticide use in coastal areas: A national summary. Strategic Assessments Division, ORCA/NOS/NOAA, Rockville, MD. 112 pp.
- Parveen, S. R. L. Murphree, L. Edmiston, C. W. Kaspar, K. M. Portier, M. L. Tamplin. 1997. Association of multiple antibiotic resistance profiles with point and nonpoint sources of *E. coli* in Appalachicola Bay. *Appld. and Env. Micro.* 63: 2607-12.
- Patterson, A.E. 1986. A field study on the effects of agricultural nonpoint source runoff in a high marsh tidal creek of South Carolina. Master's Thesis. University of South Carolina, Columbia, SC. 88pp.

- Pearson T.H. and R. Rosenberg. 1978. Macrobenthic succession in relation to organic enrichment and pollution of the marine environment. *Oceanography and Marine Biology Annual Review* 16: 229-311.
- Plumb, R. H. 1981. Procedures for handling and chemical analysis of sediment and water samples. EPA Technical Report, EPA/CE-81-1. U.S. Army Engineer Waterways Experiment Station, CE, Vicksburg, Mississippi.
- Porter, D., D. Edwards, G.I. Scott, B. Jones, W.S. Street. 1997. Assessing the impacts of anthropogenic and physiographic influences on grass shrimp in localized salt-marsh estuaries. *Aquatic Botany*. 58:289-306.
- Qureshi, A.D., K.W. Flood, S.R. Thompson, S. M. Junhurst, C. S. Innuss, and D.A. Rokosh. 1982. Comparison of a luminescent bacterial test with other bioassays for determining toxicity of pure compounds and complex effluents. Person et al., eds. *Aquatic Tox. And Haz. Assess, Fifth Annual Conference*. American. Society for Testing Materials (ASTM), Philadelphia, PA. STP 766 : 179-195.
- Radtke, L. and J.M. Dean. 1979. Feeding, conversion efficiencies, and growth of larval mummichogs, *Fundulus heteroclitus* *Marine Biology* 55:231-237.
- Ray, S.M. 1952. A culture technique for the diagnosis of infection with *Dermocystidium marinum*, Mackin, Owen, Collier, in oysters. *Science* 166:360-361. Washington, DC.
- Regoli, F. 1992. Lysosomal responses as a sensitive stress index in biomonitoring heavy metal pollution. *Marine Ecol. Prog. Series* 84: 63-69.
- Regoli, F. 1998. Trace metals and antioxidant enzymes in gills and digestive gland of the Mediterranean mussel *Mytilus galloprovincialis*. *Arch. Environ. Contam. And Toxicol.* 34:48-63.
- Regoli, F., and G. Principato. 1995. Glutathione, glutathione-dependent and antioxidant enzymes in mussel, *Mytilus galloprovincialis*, exposed to metals under field and laboratory conditions: Implications for the use of biochemical biomarkers. *Aquatic Toxicology*. 31:143-164.
- Ringwood, A.H. 1992. Comparative sensitivity of gametes and early developmental stages of a sea urchin species (*Echinometra mathaei*) and a bivalve species (*Isognomon californicum*) during metal exposures. *Arch. Environ. Contam. Toxicol.* 22: 288-295.
- Ringwood, A.H., R. Van Dolah, A.F. Holland, M.G. DeLorenzo. 1995. Year one demonstration project studies conducted in the Carolinian Province by Marine Resources Research Institute: results and summaries. Final Annual Report

- (September 1995) under NOAA Cooperative Agreement No. NA470A0177. South Carolina Department of Natural Resources, Marine Resources Institute, Charleston, SC.
- Ringwood, A.H., M.E. DeLorenzo, P.E. Ross, and A.F. Holland. 1997. Interpretation of Microtox® solid-phase toxicity tests: the effects of sediment composition. *Environ. Toxicol. Chem.* 16 (6): 1135-1140.
- Ringwood, A. H., Connors, D. and Hoguet, J. 1998a. The effects of natural and anthropogenic stressors on lysosomal destabilization in oysters, *Crassostrea virginica*. *Marine Ecol. Prog. Series* 166: 163-171.
- Ringwood, A.H. Connors, D.E. and Dinovo, A. 1998b. The effects of copper exposures on cellular responses in oysters. *Marine Environ. Res.* 46: 591-595.
- Ringwood, A.H., and C. Keppler. 1998c. Seed clam growth: A sediment bioassay developed in the EMAP Carolinian Province. *Environ. Monitor. & Assess.* 51: 247-257.
- Ringwood, Amy H., Deanna Connors, and Charles J. Keppler. *In press*. Biomarker studies with juvenile oysters (*Crassostrea virginica*) deployed in situ. *Biomarkers*.
- Sanders, M. 1995. Distribution of polycyclic aromatic hydrocarbons in oyster (*Crassostrea virginica*) and surface sediment from two estuaries in South Carolina. *Arch. Environ. Contam. Toxicol.* 28: 397-405.
- Sanger, D.M. 1998. Physical, Chemical, and Biological Environmental Quality of Tidal Creeks and Salt Marshes in South Carolina Estuaries. Ph.D. Thesis submitted to the Marine Science Program, University of South Carolina, Columbia, S.C. 478p.
- Sanger, D.M., A.F. Holland, and G.I. Scott. *In press,a*. Tidal Creek and Salt marsh Sediments in South Carolina Coastal Estuaries. I. Distribution of Trace Metals. *Env. Contam. Toxic.*
- Sanger, D.M., A.F. Holland, and G.I. Scott. *In press,b*. Tidal Creek and Salt Marsh Sediments in South Carolina Coastal Estuaries. II. Distribution of Organic Contaminants. *Env. Contam. Toxic.*
- Scott, G.I., M.H. Fulton, M.C. Crosby, P.B. Key, J.W. Daugomah, J.T. Walden, E.D. Strozier, C.J. Loudon, G.T. Chandler, T.F. Fidleman, K.L. Jackson, T. W. Hampton, T. Hoffman, A. Shultz and M. Bradford. 1992. Agricultural nonpoint runoff effects on estuarine organisms: correlating laboratory and field bioassays and ecotoxicological biomonitoring. *Final Report*. U.S EPA, Gulf Breeze, FL. 281p.

- Scott, W.B., and M.G. Scott. 1988. Atlantic fishes of Canada. Canadian Bulletin of Fisheries and Aquatic Sciences Number 219, 731pp.
- Shumway, S.E. 1996. Natural environmental factors. Pages 467-513, In: The Eastern Oyster: *Crassostrea virginica*. Kennedy, V.S., Newell, R.I.E., and A.F.Eble, eds. Maryland Seagrass College Publication, College Park.
- Siewicki, T.C. 1995. Bioaccumulation of sediment associated fluoranthene by eastern oysters (*Crassostrea virginica*): Kinetics, environmental fate, statistical and environmental modeling and exposure assessments. University of South Carolina, School of Public Health, Department of Environmental Health Sciences, PhD. Dissertation: 199 pp.
- Sigmastat, 1994. Jandel Scientific. San Rafael, CA
- Simmons Jr., G. M. And S. Herbein. 1997 shellfish habitat restoration thru remediation of nonpoint fecal coliform sources. VA Coastal Resources Management Program, Dept of Env. Quality, Final Report:23 pp + Appendices.
- South Carolina Department of Health and Environmental Control. 1981. Procedures and Quality Control Manual for Chemistry Laboratories. Bureau of Environmental Services. Columbia, S.C.
- South Carolina Department of Health and Environmental Control. 1987. Laboratory Procedures Manual for Environmental Microbiology. Bureau of Environmental Services. Columbia, S.C.
- South Carolina Department of Health and Environmental Control. 1997. Environmental Investigations Standard Operating Procedures and Quality Assurance Manual. Office of Environmental Quality Control. Columbia, SC.
- South Carolina Department of Health and Environmental Control. 1998a. Water Classifications and Standards (Regulation 61-68) and Classified waters (Regulation 61-69). Office of Environmental Quality Control. Columbia, S.C.
- South Carolina Department of Health and Environmental Control. 1998b. Summary of Selected Water Quality Parameter Concentrations in South Carolina Waters and Sediments January 1, 1993 - December 31, 1997. Technical Report 004-98. Bureau of Water. Columbia, S.C.
- South Carolina Department of Health and Environmental Control. 1999. In Draft. Tissue Collection and Preparation for Laboratory Analysis. Bureau of Water. Columbia, S.C.
- Summers, J.K., J.M., Macauley, P.T. Heitmuller, V.D. Engle, A. Matt Adams, G.T. Brooks. 1993. Statistical Summary: EMAP-Estuaries. Louisiana Province - 1991. U.S. EPA/600/R-93-001. U.S. Environmental Protection Agency, Gulf Breeze, FL. 101 pp.

- Swartz, R.C., D.W. Schults, G.R. Ditsworth and W.A. DeBen. 1984. Toxicity of sewage sludge to *Rhepoxynius abronius*, a marine benthic amphipod. *Arch. Environ. Contam. Toxicol.* 13: 207-216.
- Swearingen, G.R. 1983. Sewage input to small tidal creeks: effects of soft-sediment polychaeta and oligochaeta (Annelida). Master's Thesis. University of South Carolina, Columbia, SC. 35pp.
- Trial Jr., W. T., C. Slaughterbeck, J. Goldberg, G. Ma, and M. Samadpour. 1993. Bacterial tracking-studies in a Seattle watershed. *Puget Sound Notes* 30: 1-3.
- United States Environmental Protection Agency. 1985. Test methods for *E. Coli* and Enterococci in water by the membrane filter procedure. U.S. EPA, Washington, DC: EPA-600/4-85/076.
- United States Food and Drug Administration. 1993a. Guidance Document for Arsenic in Shellfish. Center for Food Safety and Drug Administration. Washington, D.C.
- United States Food and Drug Administration. 1993b. Guidance Document for Cadmium in Shellfish. Center for Food Safety and Drug Administration. Washington, D.C.
- Van Dolah, R.F., D.R. Calder, D. Knott and N. Maclin. 1979. Effects of dredging and unconfined disposal of dredged material on macrobenthic communities in Sewee Bay, South Carolina. South Carolina Marine Resources Center Technical Report No. 39: 54p.
- Van Dolah, R.F., D.R. Calder and D.M. Knott. 1984. Effects of dredging and open water disposal on benthic macroinvertebrates in a South Carolina estuary. *Estuaries* 7: 28-37.
- Van Dolah, R.F., P.H. Wendt, E.L. Wenner (eds). 1990. A physical and ecological characterization of the Charleston Harbor estuarine system. Final Report submitted to the South Carolina Coastal Council under Grant No. NA87AA-D-CZ068. 634p. (Also co-author of three chapters in the report).
- Van Dolah, R.F., P.H. Wendt, M.V. Levisen. 1991. A study of the effects of shrimp trawling on benthic communities in two South Carolina sounds. *Fisheries Research* 12: 139-156.
- Van Dolah, R.F. J.L. Hyland, A.F. Holland, J.S. Rosen, and T.R. Snoots. 1999. A benthic index of biological integrity for assessing habitat quality in estuaries of the southeastern United States. *Marine Environmental Research* 48: 269-283.

- Vernberg, W.B., G.I. Scott, S.H. Strozier, J. Bemiss and J.W. Daugomah. 1996. The effects of urbanization on human and ecosystem health. In: F.J. Vernberg, W.B. Vernberg and T. Siewicki, editors, Sustainable Development in the Southeastern Coastal Zone, Vol. 20: Belle W. Baruch Library in Marine Science: 221-240.
- Vernberg, F.J., W.B. Vernberg, E. Blood, A. Fortner, M. Fulton, H. McKellar, W. Mitchener, G.I. Scott, and K. El-Figi. 1993. Impacts of Urbanization on High Salinity Estuaries of the Southeastern U.S. Netherlands Journal of Deep Sea Research 30:239-48.
- Verschueren, K. 1996. Handbook of Environmental Data on Organic Chemicals. 3rd edition. John Wiley & Sons, Inc., New York, New York. 2064 pp.
- Viarengo, A., L. Canesi, M. Pertica, and D.R. Livingstone. 1991. Seasonal variations in the antioxidant defense systems and lipid peroxidation of the digestive gland of mussels. Comp. Biochem. Physiol. 100C: 187-190.
- Vogelbein, WK; Fournie, JW; Van Veld, PA; Huggett, RJ. 1990. Hepatic neoplasms in the mummichog *Fundulus heteroclitus* from a creosote-contaminated site. ECOL. RES. SER. U.S. ENVIRON. PROT. AGENCY, 10 pp.
- Weisberg, S.B., R. Whalen, and V.A. Lotrich. 1981. Tidal and diurnal influence on food consumption of saltmarsh killifish. (*Fundulus heteroclitus*). Marine Biology 61:243-246.
- Weisberg, S.B., J.A. Ranasinghe, D.M. Dauer, L.C. Schaffner, R.J. Diaz and J.B. Frithsen. 1997. An estuarine benthic index of biotic integrity (B-IBI) for Chesapeake Bay. Estuaries 20: 149-158.
- Welsh, B. 1975. The role of grass shrimp, *Palaemonetes pugio*, in a tidal marsh ecosystem. Ecology. 56: 513-530.
- Wendt, P.H., R.F. Van Dolah, M.Y. Bobo, and J.J. Manzi. 1991. Effects of marina proximity on certain aspects of the biology of oysters and other benthic macrofauna in a South Carolina estuary. South Carolina Marine Resources Center Technical Report No. 74. 50p.
- Wenner, E.L., R. Beatty and L.D. Coen. 1996. A quantitative system for sampling nekton on intertidal oyster reefs. J. Shellfish Res. 15:769-775.
- Wenning, R.J., R.T. Di Giulio, and D.S. Page. 1988. Oxidant-mediated biochemical effects of paraquat in the ribbed mussel, *Geukensia demissa*. Aquat. Toxicol. 12:157-170.
- Williams, T.P., J.M. Bubbs, and J.N. Lester. 1994. Metal accumulation within salt marsh environments: a review. Marine Pollution Bulletin 28:277-290.

- Wirth, E.F., G.I. Scott, M.H. Fulton, R.F. Van Dolah, P. P. Mairre, N. Hadley, J.W. Daugomah, and P. B. Key. 1996. *In situ* monitoring of dredged material spoil sites using the oyster *Crassostrea virginica*. Arch. Environ. Contam. Toxicol. 30:340-348.
- Wood, C.E. 1967. Physioecology of the grass shrimp, *P. pugio*, in Galveston Bay estuarine system. Contributions in Marine Science. 12:54-79.
- Wofford, H.W. and P. Thomas. 1988. Peroxidation of mullet and rat liver lipids in vitro: Effects of pyridine nucleotides, iron, incubation buffer, and xenobiotics. Comp. Biochem. Physiol. 89C: 201-206.
- Yu, B.P. 1994. Cellular defenses against damage from reactive oxygen species. Physiol. Reviews. 74: 139-162.
- Zimmerman, R., T.J. Minello, T. Baumer and M. Castiglione, 1989. Oyster reef as habitat for estuarine macrofauna. NOAA Technical Memorandum NMFS-SEFC-249.